


# Room Temperature Control

## Thermostats, Valves and Fittings





# Thermostats

Made by Oventrop

# The optimal room temperature control

## MADE FOR YOU

The selection of our thermostats and connection fittings is as extensive as today's furnishing styles are diverse. All thermostats impress with their **energy-efficient control behaviour and optimal handling**. The **elegant design** and the colour variations perfectly match your interior style as well as the shape and colour of today's radiators.

Our extensive range of thermostats and fittings is also perfect for modernising your existing conventional radiators or radiators with integrated valve set. And to make sure everything fits, you can also get our thermostats as a **radiator set**. Each set includes all the fittings you need to connect your radiator and control the room temperature in an **energy-efficient** way.


## GOOD TO KNOW

We only use **high-quality materials** for our thermostats and fittings. The surfaces are smooth and easy to clean.

## PERCEPTIBLY OPTIMISED HEATING

Thermostatic valves are the basis for your **individual feel-good temperature**. Through their presetting, they enable a **hydraulic adjustment** of the heating water quantity and thus an **energy-efficient heat output** of the individual radiators. This means **hydraulic balancing** ensures that all heating surfaces in your home are supplied evenly and thus energy-efficiently. This optimises your heating technology, saves money and protects the environment.

And that's just a **really good feeling**.  
For you. For the climate. And for your wallet.



## Just turn down the heat: Every degree counts!

It is worthwhile to simply turn down the heat – **because with every degree Celsius less, you save about 6 % heating energy!** Our modern thermostats help you and can also be easily retrofitted in existing buildings.

### HOW THERMOSTATS WORK



With our modern thermostats, you can **comfortably regulate your desired temperature**. As soon as the desired temperature is reached, the thermostat closes automatically. When the temperature drops, it opens again. Our thermostats are scaled from 1 to 5 – these levels are **assigned to temperatures**. Level 3 corresponds to about 20 °C, the maximum level 5 to about 28 °C. That's why it's no use turning the thermostat to level 5 in a cool room – the room won't warm up any faster.

# Uni LRH – the climate thermostat

Conscious heating. Save constantly.



Simply saving  
energy



## YOUR BENEFITS AT A GLANCE:

- + **Efficient** climate thermostat
- + **Prominent setting point for 19°C room temperature**, therefore also ideal for use in public buildings
- + **Timeless** design
- + **Optimal handling** due to an easy-to-read scale and palpable setting aids
- + **Limited to 21°C room temperature ex factory** – if required, the setting range can be further limited, blocked or extended up to a maximum setpoint of 28°C
- + **Memo disc** for marking a selected temperature setting





## Good for the climate, good for your heating costs

Our contribution to  
the energy turnaround

### KEEPING YOUR ENERGY CONSUMPTION UNDER CONTROL?

No problem with our new Uni LRH thermostat. Thanks to *simple temperature control*, the balancing act between cost savings and desired temperature is easy for you. And it pays off: *with every degree less you save up to 6 % of the costs.*



Hydronic balancing of the heating system  
ensures optimum heat distribution

### EFFICIENT AND CLIMATE-FRIENDLY

Combine the Uni LRH with our thermostatic valves for *hydronic balancing*. This distributes the heat evenly across all your radiators – and *you quickly save up to 15 % on heating energy and costs.*


# Uni L, Uni X and Uni F

## Classic feed-good warmth elegantly controlled

### TIMELESS ELEGANCE AND FUNCTIONALITY

- + Our Uni L and Uni X thermostat series impress with their *elegant and timeless design*.
- + The Uni L and Uni X radiator thermostats are equipped with a *memo disc* to mark a selected setting. This makes it easier for you to reset your desired temperature after turning the handwheel.
- + With *limiting elements* in or on the thermostat, you can easily limit or block the control range.
- + Handling and readability are *optimally coordinated*, the control behaviour is excellent.
- + *Palpable setting aids* help you to find the basic setting "3" again more easily. An *absolute plus* in unfavourable lighting conditions or for visually impaired persons.

Find out more at [oventrop.com/qr/thermostats](https://oventrop.com/qr/thermostats)



### YOUR BENEFITS AT A GLANCE:



- + *No adapter* required
- + *Secure* fixing of the thermostat
- + *Easy* mounting
- + *Compact* size
- + *Elegant* and timeless design
- + *Limiting elements* and palpable setting aids
- + *Union nut cover* available as accessory
- + *Suitable* for valve bodies with connection thread M 30 x 1.5 (Uni LH / XH) or squeeze connection (Uni LD / XD)



Uni X thermostat



Excellent control  
behaviour



Uni L thermostat

#### OUR TIP FOR NICHES

Thermostats must be able to “feel” the air in the room **without hindrance** in order to regulate properly and energy-efficiently. Especially in older buildings, heaters are often located in niches, under windowsills or behind curtains. This affects the accuracy of the thermostats. The solution is our **Uni L** and **Uni X** thermostats with **remote sensor** or our **Uni F** thermostats with **remote control**.



Uni L thermostat  
with **remote sensor**



Uni F thermostat  
with **remote control**

# Uni SH

in modern slim design



Award-winning  
design

## EXACTLY YOUR STYLE

*Elegant and discreet*, this is how our Uni SH presents itself – the smallest among our thermostats. However, in terms of function, excellent control behaviour, handling and readability, it is by no means overshadowed by its "big sisters".

With its *high-quality finish* and colour variations, the Uni SH will catch the eye in your living room and bathroom. The "*icing on the cake*" on your radiator.

### YOUR BENEFITS AT A GLANCE:

- + *Modern* slim design
- + *Multiple award-winning* design thermostat
- + *Easy and precise* temperature setting
- + *Excellent* handling and readability
- + *Palpable* setting aids
- + *Elegant and discreet* colour variations
- + *Elegant SH-Caps* for covering the chrome plated union nut
- + *Suitable* for valve bodies with connection thread M 30 x 1.5



## Elegant feel-good warmth discreetly controlled

### ATTRACTIVE AND EASY TO HANDLE

- + The radiator thermostat Uni SH in modern slim design combines *attractive form with elegant function*.
- + The discreet contours on the handle sleeve *increase the ease of handling*.
- + Handling and readability are *optimally coordinated*, the control behaviour is excellent.
- + *Palpable setting aids* help you to find the basic setting "3" again more easily. An *absolute plus* in unfavourable lighting conditions or for visually impaired persons.




### THE PERFECT APPEARANCE

In combination with our E thermostatic valves, the thermostats *match your design radiators perfectly*. The elegant thermostatic valves are available in angle, straight, reversed angle and double angle versions.

The valves with *easy-to-clean surfaces* are available in white powder coated, chrome plated, anthracite, gold plated and stainless steel finish.

Find all variants at [oventrop.com/qr/uni-sh](https://oventrop.com/qr/uni-sh)



# Uni L special thermostats

## Time to change

### INVESTMENT IN ENERGY-SAVING CONTROLS

You want to *modernise your existing conventional radiators or radiators with integrated valve set* and *not compromise* on the energy efficiency and control behaviour of the thermostats? Then our *special thermostats* (with connection thread or squeeze connection) will make it easier for you to retrofit and modernise. The design, handling and control behaviour are identical to the standard thermostat range. Only the connection threads are *specially adapted to the valve bodies of other manufacturers*.

### SPECIAL THERMOSTATS

| Version     | Colour | Connection thread            | Suitable for thermostatic valves bodies of the companies | Item no. |
|-------------|--------|------------------------------|----------------------------------------------------------|----------|
| Uni L       | White  | M 30 x 1.0                   | Oventrop, manufactured until 1998                        | 1011401  |
| Uni LK      | White  | M 28 x 1.0                   | Kosmia                                                   | 1613501  |
| Uni LA      | White  | M 28 x 1.5                   | Herz                                                     | 1613401  |
| Uni LI      | White  | M 32 x 1.0                   | Ista, manufactured from 1985                             | 1616200  |
| Uni LR      | White  | M 33 x 2.0                   | Rosswainer                                               | 1616301  |
| Uni LM      | White  | M 38 x 1.5                   | Meges                                                    | 1616100  |
| Uni LO      | White  | M 38 x 1.5                   | Oreg (Ondal)                                             | 1616500  |
| Uni LDV     | White  | Squeeze connection (Ø 26 mm) | Danfoss, series RAV                                      | 1616675  |
| Uni LDVL    | White  | Squeeze connection (Ø 34 mm) | Danfoss, series RAVL                                     | 1616575  |
| Uni LV      | White  | Squeeze connection           | Vaillant, manufactured from 1981                         | 1616001  |
| Maxi / mini | White  | M 40 x 1.5                   | Oventrop maxi/mini, manufactured until 1974              | 1015500  |

### LOCKSHIELD MODELS

With concealed temperature setting, integrated anti-theft device and increased flexural strength (load up to 100 kg)

| Version | Colour | Connection thread  | Protection against vandalism | Item no. |
|---------|--------|--------------------|------------------------------|----------|
| Uni LHB | White  | M 30 x 1.5         | ✓                            | 1011410  |
| Uni LDB | White  | Squeeze connection | ✓                            | 1011440  |

### CLIMATE THERMOSTAT

Limited to 21°C room temperature ex factory

| Version | Colour | Connection thread | Item no. |
|---------|--------|-------------------|----------|
| Uni LRH | White  | M 30 x 1.5        | 1011462  |

# Radiator sets Uni LH and Uni SH

## Precisely fitting and energy-efficient

### IDEAL FOR MODERN DESIGN RADIATORS

To ensure that everything fits, we have put together **radiator sets** for our thermostats Uni LH and Uni SH. Each set includes all the components required to connect a radiator and control the room temperature in an energy-efficient manner.

Depending on the thermostatic valve, the **Uni LH** sets are suitable for **automatic** hydronic balancing or **manual** hydronic balancing.

The **Uni SH** sets are suitable for **manual** hydronic balancing.

## Sets with Uni LH

### UNI LH SETS

with AQ thermostatic valve and radiator lockshield valve

| Consisting of                                                                                                                                 | Version  | Nominal size | Colour | Item no. |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|--------|----------|
| <ul style="list-style-type: none"> <li>AQ thermostatic valve</li> <li>Combi 2 radiator lockshield valve</li> <li>Uni LH thermostat</li> </ul> | Angle    | DN 10        | White  | 1703063  |
|                                                                                                                                               | Angle    | DN 15        | White  | 1703064  |
|                                                                                                                                               | Straight | DN 10        | White  | 1703163  |
|                                                                                                                                               | Straight | DN 15        | White  | 1703164  |




### UNI LH SETS

with AV9 thermostatic valve and radiator lockshield valve

| Consisting of                                                                                                                                  | Version  | Nominal size | Colour | Item no. |
|------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|--------|----------|
| <ul style="list-style-type: none"> <li>AV9 thermostatic valve</li> <li>Combi 2 radiator lockshield valve</li> <li>Uni LH thermostat</li> </ul> | Angle    | DN 10        | White  | 1683703  |
|                                                                                                                                                | Angle    | DN 15        | White  | 1683704  |
|                                                                                                                                                | Straight | DN 10        | White  | 1683803  |
|                                                                                                                                                | Straight | DN 15        | White  | 1683804  |



Find all thermostats at [oventrop.com/en/thermostats](https://www.oventrop.com/en/thermostats)




## Sets with Uni SH

### UNI SH SETS

with Multiblock T connection fitting for radiators


| Consisting of                                                                                                                                              | Version  | Radiator connection | Colour          | Item no. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|-----------------|----------|
| <ul style="list-style-type: none"> <li>• Multiblock T connection fitting</li> <li>• Design cover</li> <li>• Uni SH thermostat</li> <li>• SH-Cap</li> </ul> | Straight | G ½ IT              | White / Chrome  | 1184183  |
|                                                                                                                                                            | Straight | G ½ IT              | Chrome          | 1184283  |
|                                                                                                                                                            | Straight | G ½ IT              | Stainless steel | 1184383  |
|                                                                                                                                                            | Angle    | G ½ IT              | White / Chrome  | 1184184  |
|                                                                                                                                                            | Angle    | G ½ IT              | Chrome          | 1184284  |
|                                                                                                                                                            | Angle    | G ½ IT              | Stainless steel | 1184384  |
|                                                                                                                                                            |          |                     |                 |          |




### UNI SH SETS

with Multiblock TFU connection fitting for radiators

| Consisting of                                                                                                                                                    | Version  | Radiator connection | Colour         | Item no. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|----------------|----------|
| <ul style="list-style-type: none"> <li>• Multiblock TFU connection fitting</li> <li>• Design Abdeckung</li> <li>• Thermostat Uni SH</li> <li>• SH-Cap</li> </ul> | Pivoting | G ½ IT              | White / Chrome | 1184135  |
|                                                                                                                                                                  | Pivoting | G ½ IT              | Chrome         | 1184235  |





## UNI SH SETS

with Multiblock T-RTL connection fitting for radiators and surface temperature regulation

| Consisting of                         | Version | Radiator connection | Colour         | Item no. |
|---------------------------------------|---------|---------------------|----------------|----------|
| • Multiblock T-RTL connection fitting | Angle   | G ½ IT              | White / Chrome | 1184188  |
| • Design cover                        | Angle   | G ½ IT              | Chrome         | 1184288  |
| • Uni SH thermostat                   |         |                     |                |          |
| • SH-Cap                              |         |                     |                |          |



## UNI SH SETS

with E thermostatic valve and radiator lockshield valve

| Consisting of                       | Version            | Nominal size | Colour | Item no. |
|-------------------------------------|--------------------|--------------|--------|----------|
| • E thermostatic valve              | Angle              | DN 15        | Chrome | 1164052  |
| • Combi E radiator lockshield valve | Straight           | DN 15        | Chrome | 1164152  |
| • Uni SH thermostat                 | Double angle left  | DN 15        | Chrome | 1164352  |
|                                     | Double angle right | DN 15        | Chrome | 1164452  |




# EQ thermostatic valves

## Saving energy with design

### Q-TECH MAKES THE DIFFERENCE

Our elegant **E** thermostatic valves with Q-Tech ensure that all radiators in your home are *supplied evenly* and that you have your desired temperature everywhere. *Quiet operation and energy savings of up to 15 %* are included. And all this without any complex calculations.



### AUTOMATIC HYDRONIC BALANCING MAKES IT POSSIBLE

Our thermostatic valves with Q-Tech enable *automatic hydronic balancing*. They make it easier for you to adjust the volume flow to the respective consumer in heating and cooling systems. Q-Tech valves are ideal for *retrofitting and renovating* existing heating systems. Complex presetting calculations are not required.

The EQ thermostatic valves are available in *angle and straight* versions. The body of the valve is made of brass and the surface is chrome plated or white powder coated.

### EQ THERMOSTATIC VALVES

| Version     | Nominal size | Surface             | Connection thread | Operating temperature | Q-Tech | Item no. |
|-------------|--------------|---------------------|-------------------|-----------------------|--------|----------|
| EQ angle    | DN 15        | Chrome plated       | M 30 x 1.5        | 2 °C – 110 °C         | ✓      | 1163552  |
| EQ angle    | DN 15        | White powder coated | M 30 x 1.5        | 2 °C – 90 °C          | ✓      | 1163562  |
| EQ straight | DN 15        | Chrome plated       | M 30 x 1.5        | 2 °C – 110 °C         | ✓      | 1163652  |
| EQ straight | DN 15        | White powder coated | M 30 x 1.5        | 2 °C – 90 °C          | ✓      | 1163662  |

Find all thermostatic valves with Q-Tech at [qtech.oventrop.com](https://qtech.oventrop.com)



Download now  
free of charge

# Hydronic balancing? Quickly done – with OVplan.

You want to *document a hydronic balancing*?  
With our OVplan design software you can do it easily:

- + **Simplified heating load calculation** according to DIN 12831 for existing buildings
- + **Pipework calculation** for heating, cooling and potable water
- + **Design** of Regudis W dwelling stations, surface heating and DIN radiators in existing and new buildings
- + **Output** of valve presetting values, pipe dimensioning, pump delivery heads, material lists and much more

Download OVplan now free of charge at [oventrop.com/qr/ovplan](https://oventrop.com/qr/ovplan)



Room climate



Hydronics



Stations,  
Storage cylinders



Potable water



Oil



Smart Home,  
Smart Building

Oventrop is the partner for efficient heating, cooling and clean potable water. The modular systems and services offer pioneering solutions which all HVAC experts use to work with – easily and flexibly – from planning to installation, from industry to trade. As a family business, Oventrop accompanies all its partners over many years – competently and personally.