oventrop

Quickly installed.
Quickly configured.

Our ClimaCon F
room thermostats

A modular system solution, many options
for room temperature control

THE ADVANTAGES OF THE CLIMACON F ROOM THERMOSTATS FOR INSTALLERS

+ ***Modular*** System solution
+ ***Easy*** to install
+ ***Quick*** to configure
+ ***Usable*** with heat pumps, **Regudis W** dwelling stations, **FloorCon** connecting block and **Unibox**

THE ADVANTAGES OF THE CLIMACON F ROOM THERMOSTATS FOR END CUSTOMERS

+ ***Intuitive*** operation
+ ***Energy-saving*** room temperature control
+ ***Modern*** design

Four variants, many options

Regardless of whether only heating or only cooling is to be controlled, or both via a heat pump - with only four model variants, you have ***the right solution for every application.***

LEARN MORE

More information about the different models and the app as well as diagrams for the electrical wiring at climacon.oventrop.com

EASY TO INSTALL

1. Quickly done: ***Simply attach the mounting plate*** to the flush mounted box or directly to the wall ***with two screws***. Now you have both hands free for connecting.
2. ***You then clip the room thermostat directly onto*** the mounting plate.



EVERYTHING SIMPLY VIA APP (CLIMACON F 210 AND F 310)

+ ***Convenient*** setting via smartphone
+ ***Clear*** overview of all settings
+ ***Quick*** to configure
+ ***Protected*** installation area
+ ***Always up to date*** with updates

		ClimaCon F 90	ClimaCon F 100		ClimaCon F 210	ClimaCon F 310	
		230 V	230 V	24 V	230 V	230 V	24 V
	Item no.	1155009	1155010	1155510	1155021	1155031	1155531
Application	Heating only / cooling only	●	—		●	—	
	Heating or cooling (switchable)	—	●		—	●	
Display	Setpoint temperature	●	●		●	●	
	Actual temperature	—	—		●	●	
	Status (heating / cooling)	—	—		●	●	
	Mode (Auto / Eco)	—	—		●	●	
Setting options	Temperature setting at the room thermostat	●	●		●	●	
	Temperature setting via time profiles in the app	—	—		●	●	
	Setback activation at the room thermostat	—	—		●	●	
	Time-controlled setback via app	●*	●*		●	●	
	Setback temperature	4 K	4 K		Flexible via app	Flexible via app	
	Temperature limitation via app	—	—		●	●	
	External limitation function	—	—		—	—	●

* Follower function – only possible if leader room thermostats (**ClimaCon F 210 / F 310**) or a **FloorCon** connecting block are used

Presented by:

oventrop
Wir regeln das. Seit 1851.

Oventrop GmbH & Co. KG
www.oventrop.com

9999607 | 368_EN_2022_12 Technical modification reserved.