

Quickly installed.
Quickly configured.
Our ClimaCon F
room thermostats





A modular system solution, many options for room temperature control

THE ADVANTAGES OF THE CLIMACon F ROOM THERMOSTATS FOR INSTALLERS



- + **Modular** System solution
- + **Easy** to install
- + **Quick** to configure
- + **Usable** with heat pumps, Regudis W dwelling stations, FloorCon connecting block and Unibox

THE ADVANTAGES OF THE CLIMACon F ROOM THERMOSTATS FOR END CUSTOMERS



- + **Intuitive** operation
- + **Energy-saving** room temperature control
- + **Modern** design



ClimaCon F 210
heating only / cooling only



ClimaCon F 90
heating only / cooling only



ClimaCon F 310
heating or cooling



ClimaCon F 100
heating or cooling

Four variants, many options

Regardless of whether only heating or only cooling is to be controlled, or both via a heat pump - with only four model variants, you have **the right solution for every application.**


LEARN MORE



More information about the different models and the app as well as diagrams for the electrical wiring at climacon.oventrop.com

EASY TO INSTALL

- 1 Quickly done: **Simply attach the mounting plate** to the flush mounted box or directly to the wall **with two screws**. Now you have both hands free for connecting.
- 2 You then **clip the room thermostat directly onto the mounting plate**.



Temperature to the degree.
Smart control.

EVERYTHING SIMPLY VIA APP (CLIMACON F 210 AND F 310)



- + **Convenient** setting via smartphone
- + **Clear** overview of all settings
- + **Quick** to configure
- + **Protected** installation area
- + **Always up to date** with updates

		ClimaCon F 90		ClimaCon F 100		ClimaCon F 210		ClimaCon F 310	
		230 V		230 V	24 V	230 V		230 V	24 V
Item no.		1155009		1155010	1155510	1155021		1155031	1155531
Application	Heating only / cooling only	●		—		●		—	
	Heating or cooling (switchable)	—		●		—		●	
Display	Setpoint temperature	●		●		●		●	
	Actual temperature	—		—		●		●	
	Status (heating / cooling)	—		—		●		●	
	Mode (Auto / Eco)	—		—		●		●	
Setting options	Temperature setting at the room thermostat	●		●		●		●	
	Temperature setting via time profiles in the app	—		—		●		●	
	Setback activation at the room thermostat	—		—		●		●	
	Time-controlled setback via app	●*		●*		●		●	
	Setback temperature	4 K		4 K		Flexible via app		Flexible via app	
	Temperature limitation via app	—		—		●		●	
	External limitation function	—		—		—		—	●

* Follower function – only possible if leader room thermostats (ClimaCon F 210 / F 310) or a FloorCon connecting block are used



9999607 | 368_EN_2022_12 Technical modification reserved..

Presented by: